

## LCD REMOTE | REMOTE DISPLAY

### Introduction

LCD Remotes are designed to specifically work with Dimensions brand NP Series inverter/chargers.



### Features

- Review inverter/charger settings with this easy-to-read display.
- Available review settings include battery type, battery settings, firmware, bypass measurement, battery temperature, battery voltage, and more.
- Turn inverter on or off and set the inverter to standby mode.
- Adjust inverter and charger settings, including max. amps, battery type, CV timeout, and low battery.

### Model Numbers

- 141537 – works with NP Series 12 and 24V models only
- 245055-25 – works with NP Series 12 and 24V models only; 25' cable
- 245055-35 – works with NP Series 12 and 24V models only; 35' cable
- 245055-50 – works with NP Series 12 and 24V models only; 50' cable
- 141538 – works with NP Series 48V models only
- 245050-25 – works with NP Series 48V models only; 25' cable
- 245050-35 – works with NP Series 48V models only; 35' cable
- 245050-50 – works with NP Series 48V models only; 50' cable

### Available For

- NP Series inverter/chargers that are configured for a remote display (designated by the "R" suffix in the model name, i.e. 12NP20R).  
If not already set up for a remote display, must also order one of these remote extension kits:
  - 625000-15 - Remote kit with 15ft harness
  - 625000-25 - Remote kit with 15ft harness
  - 625000-30 - Remote kit with 15ft harness
  - 625000-50 - Remote kit with 15ft harness


### Available Accessory

- Kit 625000-xx – Remote adapter plate required to modify a standard to a "R" version.



# DIMENSIONS

All dimensions are in inches [mm]



Sensata Technologies, Inc. ("Sensata") data sheets are solely intended to assist designers ("Buyers") who are developing systems that incorporate Sensata products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products. Sensata data sheets have been created using standard laboratory conditions and engineering practices. Sensata has not conducted any testing other than that specifically described in the published documentation for a particular data sheet. Sensata may make corrections, enhancements, improvements and other changes to its data sheets or components without notice.

Buyers are authorized to use Sensata data sheets with the Sensata component(s) identified in each particular data sheet. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER SENSATA INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, IS GRANTED HEREIN. SENSATA DATA SHEETS ARE PROVIDED "AS IS". SENSATA MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE DATA SHEETS OR USE OF THE DATA SHEETS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. SENSATA DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO SENSATA DATA SHEETS OR USE THEREOF.

All products are sold subject to Sensata's terms and conditions of sale supplied at [www.sensata.com](http://www.sensata.com) SENSATA ASSUMES NO LIABILITY FOR APPLICATIONS ASSISTANCE OR THE DESIGN OF BUYERS' PRODUCTS. BUYER ACKNOWLEDGES AND AGREES THAT IT IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL LEGAL, REGULATORY AND SAFETY-RELATED REQUIREMENTS CONCERNING ITS PRODUCTS, AND ANY USE OF SENSATA COMPONENTS IN ITS APPLICATIONS, NOTWITHSTANDING ANY APPLICATIONS-RELATED INFORMATION OR SUPPORT THAT MAY BE PROVIDED BY SENSATA.

Mailing Address: Sensata Technologies, Inc., 529 Pleasant Street, Attleboro, MA 02703, USA.

## CONTACT US

651-653-7000  
 800-553-6418  
[InverterInfo@sensata.com](mailto:InverterInfo@sensata.com)

**Power Conversion**  
[www.magnum-dimensions.com](http://www.magnum-dimensions.com)